

PDFVCE



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.pdfvce.com>

Highly Efficiently Exam Tool and Effective Exam Practice Materials

Exam : **000-821**

Title : Collaborative Lifecycle
Management

Vendor : IBM

Version : DEMO

NO.1 What are three supported CLM clients? (Choose three.)

- A. Eclipse
- B. Oracle Netbeans
- C. Microsoft Visual Studio
- D. Borland Delphi
- E. web browser

Answer: A,C,E

NO.2 Which three sources can CLM use for user authentication? (Choose three.)

- A. browser
- B. LDAP
- C. Tomcat User Registry
- D. non-LDAP external registry services
- E. database server

Answer: B,C,D

NO.3 Which two build engines is Rational Team Concert's Jazz build engine designed to work with? (Choose two.)

- A. Apache Gump
- B. Hudson
- C. CruiseControl
- D. Bamboo

Answer: B,C

NO.4 What limitation is inherited by choosing Apache Derby as the database for the Jazz Team Server?

- A. CLM integrations between RRC and RQM will not work.
- B. The Eclipse client for RTC cannot be used.
- C. The web client for RTC cannot be used.
- D. The deployment will be limited to ten total users.

Answer: D

NO.5 Which statement is NOT true about CLM providing linkages between applications?

- A. Test cases can be linked to work items.
- B. Test cases can be linked to requirements.
- C. Work items can be linked to test plans.
- D. Work items can be linked to test results.

Answer: D

NO.6 What are three limitations when each CLM application has its own Jazz Team Server (JTS)? (Choose three.)

- A. Applications cannot be consolidated to point to single JTS later on.
- B. The same LDAP server cannot be used for each JTS.
- C. Project areas cannot be managed with the Lifecycle Project Administration application.

- D. Each application cannot be run on its own application server.
- E. A client access license cannot be used on multiple servers.

Answer: A,C,E

NO.7 For which two purposes does CLM use absolute URIs? (Choose two.)

- A. to locate clients attached to the server
- B. to act as a stable resource identification for all applications
- C. to act as a proxy for other systems
- D. to permit consistent web access to stored artifacts
- E. to reduce the size of any URL referencing stored artifacts

Answer: B,D

NO.8 Which statement BEST describes the architecture of Rational Reporting for Development Intelligence (RRDI)?

- A. The report server can only create reports related to Quality Management data.
- B. The content store server extracts, transforms, and loads data into a data warehouse.
- C. The report server uses data collected in the data warehouse to create reports.
- D. The report server must be connected to Rational Publishing Engine to create reports.

Answer: C

NO.9 How does an administrator verify the database status for the Jazz Team Server?

- A. navigate to the administrative page (<https://<your server>:9443/jts/admin>)
- B. open the Eclipse version of RTC and verify the 'server status' viewlet
- C. check the server status light for verification of an active database
- D. view the database schema by opening the DB2 or Oracle control center via the desktop shortcut

Answer: A

NO.10 What is the Operational Data Store (ODS) in Rational Reporting?

- A. the process of collecting data from one or more source, cleansing and transforming it, and then loading it into a database
- B. a standard application programming interface for accessing data in both relational and non-relational databases
- C. a repository that stores copies of a subset of operational data from registered applications
- D. the database that contains the data needed to operate reports, such as report specifications and published reports

Answer: C