

# PDFVCE



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.pdfvce.com>

Highly Efficiently Exam Tool and Effective Exam Practice Materials

**Exam** : **1z0-822**

**Title** : Oracle Solaris 11 Advanced  
System Administration  
Exam

**Vendors** : Oracle

**Version** : DEMO

NO.1 You are tasked to reconfigure zone1 to use virtual interface vnic1 as its network interface. Which

two steps must be included?

- A. Disable IP Filter and IPsec.
- B. Configure the NWAMNCP to Automatic.
- C. Change the shared IP zone to an exclusive IP zone.
- D. Reboot zonal so that changes made with zonecfg take effect.
- E. From the global zone, set the IP address of vnic1 and configure the default route.

Answer: C,E

NO.2 You configured the Fail Share Scheduler on a server, and you defined CPU shares for two non-global zones. You now need to apply shares to the global zone. The configuration needs to be persistent across a reboot operation. Which utility will you use?

- A. prctl
- B. priocntl
- C. zonecfg
- D. dispadmin

Answer: D

NO.3 At which two stages are backups of the service configuration repository made?

- A. during boot, after the early-manifest-import service finishes
- B. during boot, before the manifest-import service starts
- C. during manifest import, before the manifest-import service finishes
- D. during manifest import, after the manifest-import service finishes
- E. when a service is modified using the svccfg command
- F. after the last successful boot
- G. when the svcadm refresh command is executed

Answer: D,F

NO.4 There is a valid SMF manifest located underneath the /var/svc/manifest directory. Which four methods can be used to add it to the services repository?

- A. Reboot the system.
- B. Restart the early-manifest-import service.
- C. Use the svccfg apply command.
- D. Restart the manifest-import service.
- E. Use the svccfg import command.

Answer: B,C,D,E

NO.5 Which two actions permit the system-log service to receive messages from a remote Solaris host?

- A. setting the property config/log\_from\_remoteto true and restarting the service
- B. setting the property config/log\_from\_remoteto\*.noticoand restart the service
- C. configuring a selector for remote messages in the /etc/syslog.conf file
- D. ensuring that port 514 is open to remote traffic and doesn't require a password

Answer: A,D

NO.6 You have assigned rights profiles directly to the user frank and now you want to add another profile. Which command enables you to list profiles directly assigned to frank?

- A. userattr profiles frank
- B. profiles -p frank
- C. userattr -p frank
- D. profiles frank

Answer: B

NO.7 You are the administrator of an Oracle Solaris 11 AI server.

You added a client. Then you created a custom manifest, custom criteria, and a custom profile for the client.

You made an error in the package path within the custom manifest.

When will the error appear?

- A. when the manifest is checked during client preinstall
- B. when the manifest is used during client install
- C. when the manifest is updated on the AI server
- D. when the manifest is added to the AI server

Answer: D

NO.8 A recursive snapshot was taken of the root pool and the snapshot streams are stored on a remote

system. The boot disk has failed, has been replaced, and the root pool snapshots have been restored. Which two steps are still required to make the system bootable?

- A. Re-create the swap and dump devices.
- B. Install the boot blocks on the new disk.
- C. Restore the snapshot stream.
- D. Set the bootfs property on the root pool.
- E. Perform a ZFS rollback to restore the file systems in the root pool.

Answer: C,E

NO.9 Which option lists default checkpoints for building an image using the Distribution Constructor?

- A. manifest-valid and ba-init
- B. ba-arch and grub-setup
- C. transfer-ips-install and pre-pkg-img-mod
- D. pkg-img mod and create-usb

Answer: A

NO.10 Which scheduling class distributes CPU resources among its processes based on assigned importance?

- A. FairShare Scheduler (FSS)
- B. Real-Time (RT)

C. Fixed-priority (FX)

D. Timesharing (TS)

Answer: A