

PDFVCE



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.pdfvce.com>

Highly Efficiently Exam Tool and Effective Exam Practice Materials

Exam : **98-367**

Title : MTA Security Fundamentals
Practice Test

Vendor : Microsoft

Version : DEMO

NO.1 Humongous Insurance needs to set up a domain controller in a branch office. Unfortunately, the server cannot be sufficiently secured from access by employees in that office, so the company is installing a Primary Domain Controller.

Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Active Directory Server
- B. No change is needed.
- C. Read-Only Domain Controller
- D. Backup Domain Controller

Answer: C

NO.2 For each of the following statements, select Yes if the statement is true. Otherwise, select No. Each correct selection is worth one point.

Answer Area

	Yes	No
Honey pots are primarily used to attract potential attackers or hackers.	<input type="radio"/>	<input type="radio"/>
By setting up a honey pot, an administrator can get insightful information about the attacker, such as the IP address.	<input type="radio"/>	<input type="radio"/>
A honey pot is an appliance or piece of software that allows or denies network access based on a preconfigured set of rules.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

	Yes	No
Honey pots are primarily used to attract potential attackers or hackers.	<input checked="" type="radio"/>	<input type="radio"/>
By setting up a honey pot, an administrator can get insightful information about the attacker, such as the IP address.	<input checked="" type="radio"/>	<input type="radio"/>
A honey pot is an appliance or piece of software that allows or denies network access based on a preconfigured set of rules.	<input type="radio"/>	<input checked="" type="radio"/>

Answer Area

	Yes	No
Honey pots are primarily used to attract potential attackers or hackers.	<input checked="" type="radio"/>	<input type="radio"/>
By setting up a honey pot, an administrator can get insightful information about the attacker, such as the IP address.	<input checked="" type="radio"/>	<input type="radio"/>
A honey pot is an appliance or piece of software that allows or denies network access based on a preconfigured set of rules.	<input type="radio"/>	<input checked="" type="radio"/>

NO.3 You need to prevent unauthorized users from reading a specific file on a portable computer if the portable computer is stolen.

What should you implement?

- A. BitLocker
- B. File-level permissions
- C. Distributed File System (DFS)
- D. Advanced Encryption Standard (AES)
- E. Folder-level permissions

Answer: A

NO.4 The purpose of Microsoft Baseline Security Analyzer is to:

- A. List system vulnerabilities.
- B. Correct a company's security state.
- C. Set permissions to a default level.
- D. Apply all current patches to a server.

Answer: A

NO.5 The reason for implementing Service Set Identifier (SSID) masking is to:

- A. disable autologon
- B. enforce a more secure password policy
- C. hide a wireless network name from unknown computers
- D. hide a network share from unauthorized users

Answer: C

NO.6 For each of the following statements, select Yes if the statement is true. Otherwise, select No. Each correct selection is worth one point.

Answer Area

	Yes	No
You can view audit logs in the Event Viewer.	<input type="radio"/>	<input type="radio"/>
Audit logs have a set size limit and cannot be adjusted.	<input type="radio"/>	<input type="radio"/>
You can configure an email event notification for an audited activity.	<input type="radio"/>	<input type="radio"/>

Answer:**Answer Area**

	Yes	No
You can view audit logs in the Event Viewer.	<input checked="" type="radio"/>	<input type="radio"/>
Audit logs have a set size limit and cannot be adjusted.	<input type="radio"/>	<input checked="" type="radio"/>
You can configure an email event notification for an audited activity.	<input checked="" type="radio"/>	<input type="radio"/>

Answer Area

	Yes	No
You can view audit logs in the Event Viewer.	<input checked="" type="radio"/>	<input type="radio"/>
Audit logs have a set size limit and cannot be adjusted.	<input type="radio"/>	<input checked="" type="radio"/>
You can configure an email event notification for an audited activity.	<input checked="" type="radio"/>	<input type="radio"/>

NO.7 The client computers on your network are stable and do not need any new features. Which is a benefit of applying operating system updates to these clients?

- A. Close existing vulnerabilities
- B. Keep the server ports available
- C. Update the hardware firewall

D. Keep the software licensed

Answer: A

NO.8 You are trying to enable BitLocker on your father's computer. What is the purpose of the Trusted Platform Module (TPM) when it is used by BitLocker?

- A. to store an encrypted file allocation table for the protected drive
- B. to provide a co-processor that encrypts/decrypts data
- C. to store the hashed data produced by BitLocker encryption
- D. to verify the integrity of the early boot components

Answer: D

NO.9 The name of a particular wireless LAN that is broadcast on a network is referred to as a:

- A. Service Set Identifier (SSID)
- B. MAC address
- C. Wireless Access Point (WAP)
- D. Basis Service Set (BSS)

Answer: A

NO.10 Which two security settings can be controlled by using group policy? (Choose two.)

- A. Access to the Run... command
- B. Encrypted access from a smart phone
- C. Automatic file locking
- D. Password complexity

Answer: A,D

NO.11 To protect systems from buffer overflow errors, you can use:

- A. A proxy server
- B. Data Execution Prevention
- C. Antivirus software
- D. An Intruder Prevention System

Answer: B

NO.12 Which two are included in an enterprise antivirus program? (Choose two.)

- A. Scheduled scanning
- B. Attack surface scanning
- C. On-demand scanning
- D. Packet scanning

Answer: A,C