

PDFVCE



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.pdfvce.com>

Highly Efficiently Exam Tool and Effective Exam Practice Materials


Exam : **QSSA2018**

Title : Qlik Sense System
Administrator Certification
Exam - June 2018 Release

Vendor : Qlik

Version : DEMO

NO.1 Refer to the exhibit.



A system administrator creates the security rule shown. No other custom security rules exist. What effect will the security rule have when applied to a user?

- A. If the user is NOT in AAAConsumer group, the user can create app objects in non-published apps
- B. If the user is in AAAConsumer group, the user can create app objects in published apps
- C. If the user is NOT in AAAConsumer group, the user can create app objects in published apps
- D. If the user is NOT in AAAConsumer group, the user cannot create sheets

Answer: B

NO.2 A user reports that the Create new app button does NOT consistently appear when logging into the hub. The system administrator tries to verify the problem and finds the following:

- * The user has the correct security rule setup
- * The problem can be reproduced in different machines and different browsers
- * No error message is related to the user activities in the Qlik Sense logs
- * The user can see the Create new app button when directly accessing the central node URL
- * The user can NOT see the Create new app button when directly accessing the rim node URL. What is the likely cause of this issue?

- A. The node purpose for the rim node is Production
- B. The node purpose for the rim node is Development
- C. The rim node has NOT been configured for load balancing
- D. The rim node has problems applying the user security rule

Answer: B

NO.3 A system administrator has multi-node Qlik Sense environment with a consumer node and a scheduler node.

Reload task occur every 20 minutes, 24 hours a day, 7 days a week. The reload tasks cause performance cause performance for the users.

What is the most efficient method to improve performance?

- A.** Configure the reloads to run only during non-business hours
- B.** Increase the number of reloads in the scheduler node
- C.** Remove the Scheduler from the consumer node
- D.** Change me scheduler node to "Master" only

Answer: A

NO.4 Refer to the exhibit.

Reload License Monitor	License Monitor	Reload	Yes	✗ Failed
Reload Operations Monitor	Operations Monitor	Reload	Yes	✗ Failed

Qlik Sense Enterprise is deployed in a multi-node environment. The environment is sequence into a central, a scheduler, and a consumer node. A system administrator routinely performs updates and available that the system accepts the updates correctly. The system administrator notices that reloads of the License Monitor Operations Monitor fail with this message.

What should the system administrator do to resolve this issue?

- A.** 1. Open the QMC and got to Data connections
 2. Delete the qrs-data connections
 3. Perform a Qlik Sense Enterprise repair installation
 4. Reboot the server
 5. Open the QMC and reload the monitoring apps
- B.** 1. Open the QMC and go to Data connections
 2. Delete the qrs-data connections, and recreate them manually
 3. Manually import the latest License Monitor and Operator Monitor
 4. Change the owner on all qrs-data connections from INTERNAL\sa repository to the Qlik Sense account
 5. Open the QMC and reload the new monitoring apps
- C.** 1. Open the QMC and go to Data connections
 2. Modify all qrs-data connections and change the security for DataConnection_* to Read access
 3. Change the owner on all qrs-data connections from INTERNAL/sa_repository to the Qlik Sense service account Reboot the server
 4. Open the QMC and reload the monitoring apps
 5. Open the QMC and go to Data connection
- D.** 1. Open the QMC and go to Data connection
 2. Delete the qr_data connections
 3. Manually Import the latest License Monitor and Operations Monitor
 4. Remove the old Lisense Monitor and Operations Monitor
 5. Open the QMC and reload the new monitoring apps

Answer: C

NO.5 A company decides to move servers from on-premise to cloud. A system administrator performs a backup, restores, and brings the server online. When users open the app on the hub, they get an error message indicating the app could not be found.

The system administrator confirms that apps are present in the required location and NO changes have been made.

What could be causing this issue?

- A.** Synchronized persistence is in place
- B.** The security rules were broken when the servers were migrated
- C.** Shared persistence path is NOT reachable
- D.** The app has been moved from one stream to another

Answer: B